

***DUNLOP***

SX RACKETS SERIES



	SX 300 LS	SX 300 LITE
HEADSIZE (CM ² /IN ²)	645/100	645/100
UNSTRUNG WEIGHT (G/OZ)	285/10.1	270/9.5
BEAM WIDTH (MM)	23-26-23	23-26-23
STRING PATTERN	16x19	16x19
LENGTH (CM/IN)	68.6/27	68.6/27
UNSTRUNG BALANCE (MM)	325/6PTS HL	330/4PTS HL
STIFFNESS (RA)	68	68
<hr/>		
GRIP SIZE 0	10295921	10295926
GRIP SIZE 1	10295918	10295923
GRIP SIZE 2	10295919	10295924
GRIP SIZE 3	10295920	10295925
GRIP SIZE 4		



THIS RANGE IS ONLY AVAILABLE THROUGH
OUR SELECTIVE DISTRIBUTION MODEL



	SX TEAM 280	SX TEAM 260
HEADSIZE (CM ² /IN ²)	645/100	677/105
UNSTRUNG WEIGHT (G/OZ)	280/9.9	260/9.2
BEAM WIDTH (MM)	23-26-24	23-26-23
STRING PATTERN	16x19	16x19
LENGTH (CM/IN)	68.6/27	69.2/27.25
UNSTRUNG BALANCE (MM)	330/4PTS HL	350/1PTS HH
STIFFNESS (RA)	66	66
<hr/>		
GRIP SIZE 0	10297613	10297620
GRIP SIZE 1	10297610	10297616
GRIP SIZE 2	10297611	10297617
GRIP SIZE 3	10297612	10297618

CX RACKET SERIES

CX RACKET SERIES



**CX 200
TOUR 18x20**

HEADSIZE (CM²/IN²) **613/95**
 UNSTRUNG WEIGHT (G/OZ) **315/11.1**
 BEAM WIDTH (MM) **20.5**
 STRING PATTERN **18x20**
 LENGTH (CM/IN) **68.6/27**
 UNSTRUNG BALANCE (MM) **310/10PTS HL**
 STIFFNESS (RA) **64**

GRIP SIZE 0
 GRIP SIZE 1
 GRIP SIZE 2 **10279363**
 GRIP SIZE 3 **10279364**
 GRIP SIZE 4 **10279365**

CX 200

HEADSIZE (CM²/IN²) **632/98**
 UNSTRUNG WEIGHT (G/OZ) **305/10.8**
 BEAM WIDTH (MM) **21.5**
 STRING PATTERN **16x19**
 LENGTH (CM/IN) **68.6/27**
 UNSTRUNG BALANCE (MM) **315/9PTS HL**
 STIFFNESS (RA) **65**

10279371
 10279372
 10279373

CX 400

HEADSIZE (CM²/IN²) **645/100**
 UNSTRUNG WEIGHT (G/OZ) **285/10.1**
 BEAM WIDTH (MM) **24**
 STRING PATTERN **16x19**
 LENGTH (CM/IN) **68.6/27**
 UNSTRUNG BALANCE (MM) **330/4PTS HL**
 STIFFNESS (RA) **72**

10279386
 10279383
 10279384
 10279385

THIS RANGE IS ONLY AVAILABLE THROUGH
 OUR SELECTIVE DISTRIBUTION MODEL

CX TEAM 285

HEADSIZE (CM²/IN²) **645/100**
 UNSTRUNG WEIGHT (G/OZ) **285/10.1**
 BEAM WIDTH (MM) **23-25-23.5**
 STRING PATTERN **16x19**
 LENGTH (CM/IN) **68.6/27**
 UNSTRUNG BALANCE (MM) **315**
 STIFFNESS (RA) **70**

GRIP SIZE 0 **677421**
 GRIP SIZE 1 **677422**
 GRIP SIZE 2 **677423**
 GRIP SIZE 3 **677424**
 GRIP SIZE 4 **677425**

CX PRO 255




HEADSIZE (CM²/IN²) **645/100**
 UNSTRUNG WEIGHT (G/OZ) **255/9.0**
 BEAM WIDTH (MM) **24**
 STRING PATTERN **16x19**
 LENGTH (CM/IN) **68.6/27**
 UNSTRUNG BALANCE (MM) **330**
 STIFFNESS (RA) **70**

GRIP SIZE 0 **677403**
 GRIP SIZE 1 **677404**
 GRIP SIZE 2 **677405**
 GRIP SIZE 3 **677406**

CX ELITE 260

HEADSIZE (CM²/IN²) **645/100**
 UNSTRUNG WEIGHT (G/OZ) **260/9.2**
 BEAM WIDTH (MM) **22.5**
 STRING PATTERN **16x19**
 LENGTH (CM/IN) **68.6/27**
 UNSTRUNG BALANCE (MM) **330**
 STIFFNESS (RA) **60**

GRIP SIZE 0 **677409**
 GRIP SIZE 1 **677410**
 GRIP SIZE 2 **677411**



CX 200 JNR 26

HEADSIZE (CM²/IN²) **645/100**
 UNSTRUNG WEIGHT (G/OZ) **243/8.6**
 BEAM WIDTH (MM)
 STRING PATTERN **16x19**
 LENGTH (CM/IN) **66/26**
 UNSTRUNG BALANCE (MM) **328/1PTS HL**
 STIFFNESS (RA) **66**

GRIP SIZE 0 **677447**
 GRIP SIZE 00
 GRIP SIZE 000
 GRIP SIZE 0000

CX TEAM 275

HEADSIZE (CM²/IN²) **645/100**
 UNSTRUNG WEIGHT (G/OZ) **275/9.7**
 BEAM WIDTH (MM) **23-25-23.5**
 STRING PATTERN **16x19**
 LENGTH (CM/IN) **68.5/27**
 UNSTRUNG BALANCE (MM) **320**
 STIFFNESS (RA) **69**

GRIP SIZE 0 **677426**
 GRIP SIZE 1 **677427**
 GRIP SIZE 2 **677428**
 GRIP SIZE 3 **677429**
 GRIP SIZE 4 **677430**

CX TEAM 265

HEADSIZE (CM²/IN²) **645/100**
 UNSTRUNG WEIGHT (G/OZ) **265/9.3**
 BEAM WIDTH (MM) **23-25-23.5**
 STRING PATTERN **16x19**
 LENGTH (CM/IN) **68.5/27**
 UNSTRUNG BALANCE (MM) **325**
 STIFFNESS (RA) **68**

GRIP SIZE 0 **677431**
 GRIP SIZE 1 **677432**
 GRIP SIZE 2 **677428**
 GRIP SIZE 3 **677429**
 GRIP SIZE 4 **677430**

CX ELITE 270

HEADSIZE (CM²/IN²) **645/100**
 UNSTRUNG WEIGHT (G/OZ) **270/9.5**
 BEAM WIDTH (MM) **22.5**
 STRING PATTERN **16x19**
 LENGTH (CM/IN) **68.6/27**
 UNSTRUNG BALANCE (MM) **320**
 STIFFNESS (RA) **60**

GRIP SIZE 0 **677414**
 GRIP SIZE 1 **677415**
 GRIP SIZE 2 **677416**

JUNIOR RACKET SERIES



	CV TEAM 27	CV TEAM 25	CV TEAM 23	CV TEAM 21	CV TEAM 19
HEADSIZE (CM ² /IN ²)	645/100	645/100	645/100	535/85	535/85
UNSTRUNG WEIGHT (G/OZ)	285/10.1	217/7.7	207/7.3	190/6.7	175/6.2
BEAM WIDTH (MM)	23	19	19	19	19
STRING PATTERN	16×19	16×19	16×19	16×18	16×18
LENGTH (CM/IN)	68.6/27	63.5/25	58.4/23	53.3/21	48.2/19
UNSTRUNG BALANCE (MM)	330	290	265	245	225
STIFFNESS (RA)	-	-	-	-	-
GRIP SIZE 2	677441				
GRIP SIZE 3	677442				
GRIP SIZE 0		677443			
GRIP SIZE 00			677444		
GRIP SIZE 000				677445	
GRIP SIZE 0000					677446

NT RACKET SERIES



	NT TOUR	NT TOUR	NT R3.0	NT R4.0	NT R6.0
HEADSIZE (CM ² /IN ²)	626/97	626/97	632/98	645/100	677/105
UNSTRUNG WEIGHT (G/OZ)	314/11.1	314/11.1	305/10.8	290/10.2	281/9.9
BEAM WIDTH (MM)	20	20	22	22	24-26-24
STRING PATTERN	18×20	16×19	16×19	16×19	16×19
LENGTH (CM/IN)	68.6/27	68.2/27.25	69.2/27.25	68.6/27	69.2/27.25
UNSTRUNG BALANCE (MM)	316	316	318	330	333
STIFFNESS (RA)	64	64	65	65	68
GRIP SIZE 0					
GRIP SIZE 1					
GRIP SIZE 2	677352	677355	677449	677465	677469
GRIP SIZE 3	677353	677356	677450	677466	677470
GRIP SIZE 4	677354	677357	677451	677467	677471
			677452	677468	677472




USED BY
Ali Farag



USED BY
Diego Elias



USED BY
Greg Gaultier



**HYPERFIBRE XT
REVELATION PRO**

**EXPLODE YOUR SHOT
POWER**

Hit shots with real impact. An open-throat frame shape packs extra power, while the smaller 490sq cm head size delivers extra precision and control.



**HYPERFIBRE XT
REVELATION PRO
LITE**

**EXPLODE YOUR SHOT
POWER**

Hit shots with real impact. This lighter update to the Revelation Pro features a lighter head balance, making it manoeuvrable and quick around the court. It's ideal for you if you're an intermediate or advanced player.



CONSTRUCTION	PREMIUM GRAPHITE & HYPERFIBER XT
HEADSIZE (CM ² /IN ²)	490/76
FRAME WEIGHT (G/OZ)	128/4.5
HEADSHAPE	OPEN THROAT
STRING PATTERN	14x19
LENGTH (CM/IN)	68.6/27
BALANCE	HEAD HEAVY
FEATURES	HYPERFIBRE XT AEROSKIN CX TAPERED SHAFT GLIDE POLYMER

CONSTRUCTION	PREMIUM GRAPHITE & HYPERFIBER XT
HEADSIZE (CM ² /IN ²)	490/76
FRAME WEIGHT (G/OZ)	125/4.4
HEADSHAPE	OPEN THROAT
STRING PATTERN	14x19
LENGTH (CM/IN)	68.6/27
BALANCE	HEAD LIGHT
FEATURES	HYPERFIBRE XT AEROSKIN CX TAPERED SHAFT GLIDE POLYMER

PRECISION ULTIMATE

**FUSE POWER WITH
CONTROL**

Get great control and enhanced power from a combination of the conventional headshape and larger head size.



CONSTRUCTION	PREMIUM GRAPHITE & HYPERFIBER XT
HEADSIZE (CM ² /IN ²)	500/78
FRAME WEIGHT (G/OZ)	132/4.7
HEADSHAPE	CONVENTIONAL
STRING PATTERN	16x19
LENGTH (CM/IN)	68.6/27
BALANCE	HEAD LIGHT
FEATURES	HYPERFIBRE+ HYBRID CROSS SECTION AEROSKIN CX CX GROMMETS GLIDE POLYMER

PRECISION ELITE

**PLANT YOUR SHOTS
WITH POWER**

The conventional head shape gives you great control, while the larger head size packs more power. All thanks to a 14x18 string pattern. This is what power looks like.



CONSTRUCTION	PREMIUM GRAPHITE & HYPERFIBER XT
HEADSIZE (CM ² /IN ²)	500/78
FRAME WEIGHT (G/OZ)	135/4.8
HEADSHAPE	CONVENTIONAL
STRING PATTERN	14x18
LENGTH (CM/IN)	68.6/27
BALANCE	HEAD LIGHT
FEATURES	HYPERFIBRE+ HYBRID CROSS SECTION AEROSKIN CX CX GROMMETS GLIDE POLYMER

PRECISION PRO 130

**PLAY UN-RETURNABLE
SHOTS**

Place the ball exactly where your opponent can't reach it. If you're an advanced player who wants complete control of where your shots go, this is the racket for you.



CONSTRUCTION	PREMIUM GRAPHITE & HYPERFIBER XT
HEADSIZE (CM ² /IN ²)	470/73
FRAME WEIGHT (G/OZ)	130/4.6
HEADSHAPE	CONVENTIONAL
STRING PATTERN	14x18
LENGTH (CM/IN)	68.6/27
BALANCE	HEAD LIGHT
FEATURES	HYPERFIBRE+ HYBRID CROSS SECTION AEROSKIN CX CX GROMMETS GLIDE POLYMER

MID RANGE SERIES



BLACKSTORM TITANIUM 4.0

EXPERIENCE POWER LIKE NEVER BEFORE

This open-throat design provides out and out power thanks to the 14x18 Powermax string pattern.



GRAPHITE
500/78
135/4.8
 OPEN THROAT
14x18 POWERMAX
68.6/27
 EXTRA HEAD LIGHT
 POWERMAX
4D BRAIDED

773321



BLACKSTORM GRAPHITE 4.0

PLAY WITH COMFORT AND POWER

The 4D braided construction filters out vibrations to give you a more comfortable blend of power and control in your game.



CONSTRUCTION GRAPHITE
 HEADSIZE (CM²/IN²) **500/78**
 FRAME WEIGHT (G/OZ) **135/4.8**
 HEADSHAPE CONVENTIONAL
 STRING PATTERN **16x19**
 LENGTH (CM/IN) **68.6/27**
 BALANCE HEAD LIGHT
 FEATURES ACS
4D BRAIDED

PRODUCT CODE **773322**



BLACKSTORM POWER 4.0

FEEL COMFORTABLE WITH TOTAL CONTROL

This conventional headshape racket offering mix of control and power. Head light for improved manouvrability.



GRAPHITE
500/78
155/5.4
 CONVENTIONAL
16x19
68.6/27
 HEAD LIGHT
 ACS
4D BRAIDED

773323

ENTRY RANGE SERIES



BLAZE INFERNO 4.0

BECOME A POWER PLAYER

Get your first taste of increased power thanks to the 16x18 Powermax string pattern. This entry-level, premium alloy racket is ideal if you're a beginner or recreational player.



CONSTRUCTION	PREMIUM ALLOY
HEADSIZE (CM ² /IN ²)	500/78
FRAME WEIGHT (G/OZ)	170/6.0
HEADSHAPE	CONVENTIONAL
STRING PATTERN	16x18 POWERMAX
LENGTH (CM/IN)	68.6/27
BALANCE	HEAD LIGHT
FEATURES	POWERMAX
PRODUCT CODE	773327

ENTRY RANGE SERIES



HYPER LITE TI 4.0

WELCOME TO THE COURT

The Lite TI is a perfect racket for you if you're a beginner or recreational player. It's the perfect companion to your first on-court steps.

CONSTRUCTION	ALLOY
HEADSIZE (CM ² /IN ²)	500/78
FRAME WEIGHT (G/OZ)	195/6.8
HEADSHAPE	CONVENTIONAL
STRING PATTERN	16x18 POWERMAX
LENGTH (CM/IN)	68.6/27
BALANCE	HEAD LIGHT
FEATURES	POWERMAX VIBRATION DAMPENER
PRODUCT CODE	773335